



M 1903

ADJUST THE WIND GAUGE



M 1



ADJUST THE ELEVATING KNOB



INSERT PENCIL POINT IN HOLES TO  
MOVE ELEVATION AND WIND GAUGES

**2**

**BULL'S-EYE**

Grasp this section with thumb and fore-finger and move bull's-eye into correct position

**SIGHTING DEVICE**

**IN SIGHTING AND AIMING, THERE'S NO SUCH THING AS ALMOST RIGHT**



**THIS IS THE REAR SIGHT**

**THE SIGHT PICTURE IS EITHER 100% RIGHT OR IT IS 100% WRONG**

*Accuracy is more important than speed ... don't squeeze the trigger until the sights are right.*

**1**

**FRONT SIGHT**

Grasp this section with thumb and fore-finger and move front sight into correct position



2

BULL'S-EYE

Green the

### SIGHTING DEVICE


IN SIGHTING AND AIMING, THERE'S  
NO SUCH THING AS ALMOST RIGHT



THIS IS THE REAR SIGHT

THE SIGHT PICTURE IS EITHER  
100% RIGHT OR IT IS 100% WRONG

Accuracy is more important  
than speed... don't squeeze the  
trigger until the sights are right.



finger and the  
front sight into  
correct position



## SIGHTING DEVICE

IN SIGHTING AND AIMING, THERE'S  
NO SUCH THING AS ALMOST RIGHT



THIS IS THE REAR SIGHT

THE SIGHT PICTURE IS EITHER  
100% RIGHT OR IT IS 100% WRONG

*Accuracy is more important  
than speed ... don't squeeze the  
trigger until the sights are right.*

